

测试报告

No. SHAEC2114827702

日期: 2021年07月20日 第1页,共3页

临海市绿茵硅胶科技有限公司
浙江省台州市临海市江南街道三洞桥村

以下测试之样品是由申请者所提供及确认: 硅胶折叠杯

SGS工作编号: SP21-022125 - SH
 样品接收日期: 2021年07月14日
 测试周期: 2021年07月14日 - 2021年07月20日
 测试要求: 根据客户要求测试
 测试方法: 请参见下一页
 测试结果: 请参见下一页

测试结果概要:

测试要求	结论
US FDA 21 CFR 177.2600- 提取物总量	符合

通标标准技术服务(上海)有限公司
授权签名

倪俊

Tom Ni倪俊
批准签署人

scan to see the report



SHAEC2114827702



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shanghai Technical Services (Shanghai) Co., Ltd.
Testing Center - Client's Property

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

测试报告

No. SHAEC2114827702

日期: 2021年07月20日 第2页,共3页

测试结果:

测试样品描述:

样品编号	SGS样品ID	描述	材质 (客户提供)
SN1	SHA21-148277.001	紫色硅胶	硅胶

备注:

- (1) mg/dm² = 毫克每平方米
- (2) mg/kg = 毫克每千克
- (3) °C= 摄氏度
- (4) < = 小于
- (5) MDL = 方法检测限
- (6) ND = 未检出 (< MDL)

US FDA 21 CFR 177.2600-提取物总量

测试方法: 参考US FDA 21 CFR 177.2600.

常用模拟液	时间	温度	最大允许限值	样品001 提取物总量	结论
蒸馏水	7.0hr(s)	回流温度	20mg/inch ²	<0.5mg/inch ²	符合
蒸馏水继续萃取	2.0hr(s)	回流温度	1mg/inch ²	<0.5mg/inch ²	符合
正己烷	7.0hr(s)	回流温度	175mg/inch ²	8.6mg/inch ²	符合
正己烷继续萃取	2.0hr(s)	回流温度	4mg/inch ²	<0.5mg/inch ²	符合

除非另有说明, 此报告结果仅对测试的样品负责。本报告未经本公司书面许可, 不可部分复制。
检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

样品照片:



此照片仅限于随SGS正本报告使用

*** 报告完 ***

